

Ratoon PDF - Descargar, Leer



DESCARGAR

LEER

ENGLISH VERSION

DOWNLOAD

READ

Descripción

Arboros Dragon, Ratoonアルボロス・ドラゴン “新芽”ラトウーン English - Japanese.

1 May 2015 - 20 sec - Uploaded by ADictionaryVideo shows what ratoon means. A shoot sprouting from the root of a cropped plant .

Sugarcane Ratoon Management. Books, Stationery, Computers, Laptops and more. Buy online

and get free delivery on orders above Ksh. 2000. Much more than a bookshop.

The root system of a sugar cane crop on an Ultisol in northeastern Brazil was examined throughout the plant and first ratoon crop cycles, using both coring and minirhizotron methods. Total root masses. (living plus dead, 0.9-1.1 kg m⁻²) and live root lengths (14.0-17.5 km m⁻²) were greater during the ratoon cycle than at.

Wiktionary(0.00 / 0 votes)Rate this definition: ratoon(Noun). A shoot sprouting from the root of a cropped plant, especially sugar cane. ratoon(Verb). To sprout ratoons. ratoon(Verb). To cut a plant, especially sugar cane, so that it will produce ratoons.

Full-text (PDF) | The ratooning is the ability of the plant to regenerate new tillers from stubbles of the main crop. Though the crop thought to be the same, there may be variation in the physiological parameters between the main and ratoon crop. For example panicle development and heading are mor.

systems while minimizing the costs of cultivation (e.g., use of fertilizers) and environmental concerns. The main goal of this study was therefore to investigate biomass and nutrient [nitrogen (N), phosphorus (P), and potassium (K)] content, partitioning, stoichiometry and internal efficiencies in sugarcane ratoon at varying yield.

12 Oct 2016 . Rick Mascagni. Grain sorghum is often used as a rotation crop with soybeans and cotton. The most important management practice is planting date, and early planting maximizes yield and enhances the ability to “ratoon” or produce a second crop from the original stubble. For a ratoon crop to be practical,.

Abstract. Although main crop rice (*Oryza saliva* L.) cultural practices are known to influence the subsequent ratoon crop, little specific information is available on the effect of many main crop management practices on ratoon crop performance. The objective of this study was to evaluate the effect of main crop harvest cutting.

Perhaps if I describe a ratoon, you will understand the complexity of the links between people who share the same last name. The name ratoon is given to the root system of a fully matured sugar cane plant. It is a jumbled mass made up of one primary root, several large secondary roots, more multiple roots called sett roots,.

ratoon: A shoot sprouting from a plant base, as in the banana, pineapple, or sugar cane.

Definition of ratoon - a new shoot or sprout springing from the base of a crop plant, especially sugar cane, after cropping.

Why ratoon Sorghum? • A ratoon crop does not require seeds for planting in the long rain season. • A ratoon crops matures 20-30 days earlier compared to a newly planted crop. • When the rains fail or are poor, the farmer who ratoons harvests something while the one who plants a new crop harvest nothing. Initial Sorghum.

ratoon definition: a shoot growing from the root of a plant (esp. the sugar cane) that has been cut downOrigin of ratoonSpanish retoño from retoñar, to sprout again from re- (from Classical Latin re-), again + otoñar, to grow in autumn from Cl.

Translate Ratoon. See authoritative translations of Ratoon in Spanish with audio pronunciations.

Ratoon stunting, also known as ratoon stunting disease (RSD), is considered by many sugarcane pathologists to be the most important disease affecting sugarcane production worldwide, because it can cause 5% to 15% crop yield losses without growers even realizing their fields are infected (Comstock 2002; Davis and.

technique for fall pepper production, and the highest total marketable yields may be obtained if these plants are not mowed. However, mowing offers an opportunity for increased fall production of premium fruit, and mowed plants would be easier to manage than nonpruned plants. Ratoon cropping is a system whereby, fol-

See Tweets about #ratoon on Twitter. See what people are saying and join the conversation. 29 Aug 2014 . ISSN 2071-1050 www.mdpi.com/journal/sustainability. Article. Rice Ratoon Crop: A Sustainable Rice Production System for. Tropical Hill Agriculture. Golam Faruq *, Rosna Mat Taha and Zakaria H. Prodhan. Institute of Biological Sciences, Faculty of Science, University of Malaya, Kuala Lumpur 50603,.

ratoon in Hawaii due to soil problems and mechanical damage to the stools. Ideally, there should be 33 and 67 per cent of the total cane area under ratoon and plant crop respectively. The quintessence of ratoon cropping lies in: 1. Shorter crop cycle. 2. Reduced cost of production, particularly of seed. 3. Better utilization of.

First Report of Ratoon Stunt of Sugarcane Caused by *Leifsonia xyli* subsp. *xyli* in Pakistan. S.-Z. Hussnain and S. Afghan , Shakarganj Sugar Research Institute, Toba Road, Jhang, Pakistan ; M.-I. Haq and S.-M. Mughal , PMAS Arid Agriculture University, Department of Plant Pathology, Murree Road, Rawalpindi, Pakistan.

Produits · Rouleau autoporteur Expérience Utilisateur Rouleau pour herbe Rouleau couteaux Préparateur betteravier Herse étrille Décompacteur · SuperMax Ratoon · Standard & options Données Techniques Galerie photos et films Télécharger brochure · Ratoon XL FrontCultivator · Déchaumeur Outils frontaux.

20 Apr 2016 . Nutrient Partitioning and Stoichiometry in Unburnt Sugarcane Ratoon at Varying Yield Levels. Leite JM(1), Ciampitti IA(2), Mariano E(3), Vieira-Megda MX(4), Trivelin PC(3). Author information: (1)Department of Soil Science, University of São Paulo Piracicaba, Brazil. (2)Department of Agronomy, Kansas.

Sugarcane productivity has shown the increasing trend, a wide gap exists between potential (competition crops) and existing (commercial plots) productivity levels. Ratooning constitutes around 50% of the total area under cane and ratoon productivity and early maturity that the plant crop. Ratoon productivity has been.

DECCAN FARM EQUIPMENT PVT. LTD. - Manufacturer and Supplier Pushpak Ratoon Manager located in Kolhapur, Pushpak Ratoon Manager is a modern implement used to cut the sugarcane stubble at near the ground level,

sugarcane. In sugarcane: Culture ...of cane propagation is by ratooning, in which, when the cane is harvested, a portion of stalk is left underground to give rise to a succeeding growth of cane, the ratoon or stubble crop. The ratooning process is usually repeated three times so that three economical crops are taken from...

10 ■■■■■ 2017 . Advantages of Ratooning:- Reduced cost of production through saving in land preparation and care of the plant during early growth of the clone; such early growth is eliminated because of the presence of a readily formed root system. Ratoons are economical by about 25 – 30 per cent in the operational.

A rattan cane. (Can we find and add a quotation of Samuel Pepys to this entry?) Verb[edit]. ratoon (third-person singular simple present ratoons, present participle ratooning, simple past and past participle ratooned). (intransitive, of a plant) To sprout ratoons. quotations ▽. 1893, "Resources of British Honduras," Bulletin of.

Metaproteomic analysis of ratoon sugarcane rhizospheric soil. Wenxiong Lin†Email author,; Linkun Wu†,; Sheng Lin,; Aijia Zhang,; Mingming Zhou,; Rui Lin,; Haibin Wang,; Jun Chen,; Zhixing Zhang and; Ruiyu Lin. †Contributed equally. BMC Microbiology201313:135.

<https://doi.org/10.1186/1471-2180-13-135>. © Lin et al.

Conjugate the English verb ratoon: indicative, past tense, participle, present perfect, gerund, conjugation models and irregular verbs.

Improving the yield and quality of sorghum (*Sorghum bicolor*) forage for livestock feeding is a major breeding objective, because of sorghum's inherently high biomass accumulation, high

productivity per unit water utilized and its ability to produce a ratoon crop after harvesting of the plant crop. Newly bred sorghum lines,

Tiger® Trace Grain is a new formulation comprising of a combination of granular micronutrients that offers. Read more · Tiger® Manganese. Tiger® Manganese is a new formulation of granular micronutrients that offers. Read more · Tiger® Iron 15%. Tiger® Iron 15% is a new formulation of granular micronutrients that offers. Read more.

Growth, yield and nutrition of sugarcane ratoon as affected by potassium in a mechanized harvesting system. Márcio Alexandre Pancelli¹, Renato de Melo Prado¹, Rilner Alves Flores^{2*}, Hilário Júnior de Almeida¹, Leandro Rosatto Modal¹, Jonas Pereira de Souza Junior¹. ¹Department of Soils and Fertilizers, Paulista.

7 Apr 2008 . One of the major reasons of low yield is the poor management of the ratoon crop. Sugarcane ratoon occupies more than 50 per cent of the total sugarcane area in the country. However, its contribution to the total cane production is about 25-30 per cent.

Productivity of ratoon crop is 10 to 30 per cent less.

DECLARATION. I hereby declare that the whole work submitted as thesis entitled. “Growth, Yield and Quality of Plant and Ratoon Crops of Sugarcane As. Affected by Plant Material and Management Practices” for the degree of. Doctor of Philosophy is the result of my original investigation. (Md. Saidur Rahman). Candidate.

agfax.com/tag/ratoon-rice/

ProGibb PGR is a naturally occurring plant growth regulator that enhances plant growth and development. Applied to main crop rice during grain fill, ProGibb increases ratoon rice yields by enhancing early growth of ratoon tillers and aiding ratoon stand establishment. ProGibb can be tank mixed with most commonly used.

Science. 1980 Dec 19;210(4476):1365-7. Ratoon stunting disease of sugarcane: isolation of the causal bacterium. Davis MJ, Gillaspie AG Jr, Harris RW, Lawson RH. A small coryneform bacterium was consistently isolated from sugarcane with ratoon stunting disease and shown to be the causal agent. A similar bacterium

Products · Rollers Testimonials Grass Rollers Knife Rollers Seedbed preparation Harrow Subsoiler · SuperMax Ratoon · Standard & Options Technical data Gallery Photos & Movies Downloads/leaflet · Ratoon XL FrontCultivator · Stubble implements Presses / Packers.

Ratooning is the process of regrowing of crop for commercial purpose after first harvest without uprooting or reseedling the first crop. E.g Sugarcane. Once you cut the sugarcane at the time of maturity, we should allow it to regrow by providing nutri.

As multiple cropping practices continue to spread in the southeastern U.S.A., ratoon cropping (two harvests from a single planting) provides an additional double-cropping scheme for farmers. Fourteen sweet sorghum (*Sorghum bicolor* (L.) Moench) cultivars were evaluated in a ratoon double-cropping system at two lo-

Model, SS 1001. Number of Rows covered, Single. Weight, 285 kg. Number of blades, 4. Drive, PTO 540 RPM. Mounting, Three-point Hitch mounted. Off-baring tool, Tines with small ridger. Suitable Tractor Model (35-45 Hp), 5036 C, 5038 D, 5041 C, 5042 D, 5045 D & 5045 D 4WD. Dimensions (mm)(LengthxWidthxHeight.

Ratooning is a unique natural trait associated with most of the crops like banana, red gram, cotton, Jowar, sugarcane; however, it is commercially explored in sugarcane and banana in the Indian context. The characteristic features of ratoon crop is such that when the shoot portion is harvested the remaining root system

RESEARCH. Predicting ratoon rice growth rhythm based on NDVI at key growth stages of main rice. Kai-lou Liu¹, Ya-zhen Li^{1*}, Hui-wen Hu¹

¹National Engineering and Technology Research Center for Red Soil Improvement, Jiangxi Institute of Red Soil, Nanchang 330046, China.

Corresponding author.

17 Dec 2012 . Primary spread of disease is through infected setts. Secondary spread is through contaminated harvesting implements. Ratoon crop suffers more damage due to RSD than the plant crop. Disease is known to reduce germination and yield. Ratoon stunting disease. Fig: Ratoon stunting Disease. Symptoms:

A study on the genotype response of okra to a proposed management practice of ratooning was conducted using three advanced lines, 15 experimental hybrids and six parental lines. Ratooning caused an average mortality of 21.8%. Significant differences in plant vigor after ratooning and rate of shoot emergence were.

The ratooning is the ability of the plant to regenerate new tillers from stubbles of the main crop. Though the crop thought to be the same, there may be variation in the physiological parameters between the main and ratoon crop. For example panicle development and heading are more uneven in ratoon than that of the main.

Development of a Grain Sorghum Ratoon Cropping System for SE Missouri. Shawn P. Conley. Cropping Systems Specialist. University of Missouri, Columbia. Relevance: • Base price for grain sorghum in the new farm bill is the same as corn. • Grain sorghum yield is less variable than corn within and among years.

ratooning—it must be made considering important factors at or soon after harvest of the main crop. When to Ratoon. Ratooning practices in the Lower Rio Grande. Valley begin with shredding sorghum stalks down to a 1-inch height with a flail shredder. Shredding provides uniformity of plants. The decision to ratoon is.

A simple model of sugar cane crop rotation is developed to optimize the return to a single sugar cane farm with respect to harvest scheduling. The value of the cane crop varies during the harvesting season due to changing sugar content and harvest timing alters the possible growth period of the next crop in the rotation.

Ratoon Stunting Disease (RSD) was discovered by BSES pathologists in 1944. It is now recognised worldwide as probably the most economically important disease of sugarcane. RSD is found in all districts in eastern Australia, but it has not been found in Western Australia. The incidence of the disease is associated with.

Rice ratooning. Ratooning, the ability of rice plants to regenerate new tillers after harvest, may be one practical way to increase rice production per unit area and per unit time. Because ratooned rice has shorter duration than a new crop, it may increase productivity in areas where cropping intensity is limited by inadequate.

Pravin Kumar Modi from Pravin Kumar Modi is a speaker at Agri-2014 conference.

Ratooning in Sugarcane. Ratooning: 1. Ratooning is a practice of growing a crop from the stubbles of previous crop. 2. Importance of Ratoon: i) Ratoon saves cost on preparatory tillage and planting material. ii) It gets benefit of residual manure and moisture. iii) Ratoon crop matures earlier and gives more or less same yield.

Ratoon. A collab with our American friends from Modern times beer. Tart pale ale, fermented with Sacch Trois, with pineapple juice and pineapple puree added. Aromas of Pineapple, PassionFruit, and belgian yeast. Tart, Clean and Refreshing. Just like you.

18 Jun 1991 . The root system of a sugar cane crop on an Ultisol in northeastern Brazil was examined throughout the plant and first ratoon crop cycles, using both coring and minirhizotron methods. Total root masses (living plus dead, 0.9–1.1 kg m⁻²) and live root lengths (14.0–17.5 km m⁻²) were greater during the.

Cutting the growing stubble more than once also appears to offer scope for manipulating ratoon duration and yield components (8). Fertilizer management Although research results on the timing and dosage of fertilizer applied to the ratoon crop are inconsistent, plots fertilized with N and other nutrients have always yielded.

1 May 2012 . Several factors are critical to successful ratoon crop production. The earlier the ratoon crop matures, the higher its potential yield. Therefore, rapid stimulation of regrowth is an important factor. Apply the planned pre-flood nitrogen rate immediately after harvesting the main crop and flood it into the soil to.

Define ratoon: a shoot of a perennial plant (such as sugarcane); a crop (as of bananas) produced on ratoons.

Abstract: The ratooning is the ability of the plant to regenerate new tillers from stubbles of the main crop. Though the crop thought to be the same, there may be variation in the physiological parameters between the main and ratoon crop. For example panicle development and heading are more uneven in ratoon than.

CONSTRAINTS OF SUGARCANE RATOON AND BETTER MANAGEMENT. TECHNOLOGY THEREOF. By. Zulfiqar Waseem Malik M.Sc (Hons) Agri. Muhammad Rizwan M.Sc (Hons) Agri. FATIMA SUGAR MILLS LIMITED.

The control of unwanted cotton is an essential part of good integrated pest and disease management and general farm hygiene. • Volunteer cotton – plants that have germinated, emerged and established unintentionally and can be in field or external to the field. (roadsides, fence lines etc); or, • 'Ratoon' cotton – Also known.

De très nombreux exemples de phrases traduites contenant "ratoon" – Dictionnaire français-anglais et moteur de recherche de traductions françaises.

WINTER WAR ON WEEDS STARTS NOW: Managing Ratoon and Volunteer Cotton. AS ANYONE WHO HAS TRIED TO KILL COTTON WILL KNOW, CONTROLLING UNWANTED PLANTS GOES FROM BEING DIFFICULT WITH SMALL PLANTS, TO ALMOST IMPOSSIBLE WITH LARGER PLANTS. HOWEVER IT IS A SKILL.

Graphic Design RATOON in Ioannina Ioannina. Maps, telephone numbers, addresses for RATOON Graphic Design in Ioannina of Ioannina. Greek Yellow Pages directory.

Many translated example sentences containing "ratoon crop" – Spanish-English dictionary and search engine for Spanish translations.

Ratooning is an age old method of propagation in sugarcane in which subterranean buds on stubble – the part of cane left underground after harvesting plant cane, gives rise to succeeding crop stand which is usually referred to as 'ratoon' or the 'stubble crop'.

Utilization by plant cane, and first and second ratoon crops of nitrogen fertiliser applied at planting. Henrique Coutinho Junqueira FrancoA, Paulo Cesar Ocheuze TrivelinA, Rafael OttoA, André Cesar VittiB, Emídio Cantídio de Almeida OliveiraA. ACentro de Energia Nuclear na Agricultura - CENA/USP, Laboratório de.

Definition of ratoon crop in US English - a new crop (especially of rice, bananas, or sugar cane) that grows from the stubble of the crop already harvested.

20 May 2005 . Rice planting has mostly wrapped up in Louisiana, and hopefully, most farmers are thinking, "So far, so good." It is never too early in the year to start thinking about second, or ratoon, cropping options. The production and harvest of a second crop can increase the productivity per acre. In southern Louisiana.

27 Dec 2016 . Abstract. Physical, milling and cooking attributes of the main and ratoon crops in three rice cultivars, namely Hashemi, Alikazemi and Tarom, were compared in a factorial layout based on randomized complete block design in five replications. The results revealed that for each tested cultivar, the length and.

Muchos ejemplos de oraciones traducidas contienen "ratoon" – Diccionario español-inglés y buscador de traducciones en español.

the higher the chances of the following ratoon with a favorable stand and, consequently, the higher the chance of extended number of ratoons. *S. spontaneum* has rhizome and *S. officinarum* does not. This is a fundamental difference breeders have to be acquainted with. Rhizomes permit more efficient erosion control, more.

Effect of different levels of N and P on ratoon banana. (*Musa* spp. AAA). K. S. Navaneethakrishnan. 1. , M. I. S. Gill. 1 and S. Ramesh Kumar. 2. *. 1Department of Fruit Science, Punjab Agricultural University, Ludhiana-141004, Punjab, India. 2Department of Horticulture, Vanavarayar Institute of Agriculture, Manakkadavu.

booklet in the SmartCane series advises that the following are important components of ratoon management: • Green cane trash blanketing where appropriate to ensure agronomic, economic, environmental and social benefits. • Nutrient management according to the. Six Easy Steps program to ensure profitable cane.

Define ratooning. ratooning synonyms, ratooning pronunciation, ratooning translation, English dictionary definition of ratooning. n. A shoot

sprouting from a plant base, as in the banana, pineapple, or sugarcane. v. ra-tooned , ra-toon-ing , ra-toons v. intr. To produce or grow as a. THOUGHTS ON RATOON RICE IN. SOUTHEAST AND EAST ASIA. Ronald D. Hill. School of Biological Sciences and Department of History. The University of Hong Kong. In China *Oryza sativa* has been grown as an annual for perhaps 10-12 000 generations although ratooning certainly survived until about 3 500 years.

a sprout or shoot from the root of a plant, especially a sugarcane, after it has been cropped. verb (used with or without object) 2. to put forth or cause to put forth ratoons. Origin of ratoon.

31 Jul 2009 . Yes, ratoons is spelled correctly, and my garden is full of them. By midsummer most of my lettuces are ratoons, as are all of the cabbage and broccoli. What is a ratoon? Derived from the Spanish word retoño (to resprout), ratoons are second crops that grow from the stumps or stubble of the first. This makes.

on Agronomic Traits of Rice Ratoon. Davood Bann' Tart. Department of Agronomy,. Ayatollah Amoli Branch, Islamic Azad University, Amol, Iran. Abstract: A field experiment was carried out in 2010 to investigate the effect of harvesting time and main plant residual on yield and yield components of rice. A split-split plot.

There are no reliable diagnostic symptoms. Stunting is the only overt symptom but can also be caused by a number of other maladies. The degree of stunting resulting from the disease may vary considerably. Yields can be adversely affected even when stunting is not obvious. Disease expression can be enhanced by stress.

Ratoon cropping is growing a fresh crop from the stubbles or suckers of the plant crop without replanting. It is also referred to as stubble cropping, re-harvesting, second crop, etc. Ratoon cropping is used extensively in sugarcane, bananas and plantains, pineapple, forage crops and minor fiber crops such as abaca and.

22 Jun 2017 . Ratoon stunting disease is widely regarded as causing greater economic loss to the cane sugar industries throughout the world than any other disease.

20 Feb 2013 . ABSTRACT. The ratoon crop occupies approximately 40% of the total area of sugarcane crop in tropical India. The main reason for the lower average cane productivity is the yield decline in ratoon crops (40 - 50 t/ha) despite the release of the high yielding varieties and advanced cane production.

A farmer in the central Thailand discovered by chance this method of growing a crop of ratoon rice from lodged stubble. Since then, his innovation has spread into many rice-growing areas. The net income is higher than the income from broadcast rice in both rain-fed and irrigated rice-growing areas. "Ratoon cropping of.

SCIENTIFIC PAPERS SOIL AND WATER ENGINEERING. Ratoon sugarcane yield integrated drip-irrigation and nitrogen fertilization.

Produtividade de soqueira de cana-de-açúcar integrada à irrigação por gotejamento e à fertilização nitrogenada. Raúl A. M. Uribe^I; Glauber J. de C. Gava^{II}; João C. C. Saad^{III}; Oriel T. Kölln.

Ratoon definition: a new shoot that grows from near the root or crown of crop plants, esp the sugar cane ., | Meaning, pronunciation, translations and examples.

15 Dec 2002 . The Department of Agrarian Reform (DAR) is undertaking an expansion of its rolodge ratooning project in six rice fields nationwide to maximize the production of palay at lesser cost. The project dubbed "Rolodge Advance Rice Ratooning", is now being implemented in as big as 1000-hectare adjoining.

Define ratoon. ratoon synonyms, ratoon pronunciation, ratoon translation, English dictionary definition of ratoon. n. A shoot sprouting from a plant base, as in the banana, pineapple, or sugarcane. v. ra-tooned , ra-toon-ing , ra-toons v. intr. To produce or grow as a.

Profile page of horse RATOON DE GARGASSAN Disciplines: Endurance.

Some farmers allow ratoon crop to develop after harvesting their field. Usually, this is not wise. For example in rice, a ratoon crop will give a very poor production, but it does provide juicy green leaves on which pests can continue to feed and multiply. In this way the ratoon promotes the outbreak of pests in the following.

Define ratoon crop. ratoon crop synonyms, ratoon crop pronunciation, ratoon crop translation, English dictionary definition of ratoon crop. One that grows from the remains of one already harvested, from Spanish retoño, "sprout." See also related terms for sprout.

15 Feb 2017 . The study included five ratoon crops (RC1–RC5). In KRF093-1, dry matter yield was higher in HC plots (high-level cutting without stubble shaving plots) than in Control plots (stubble shaving after high-level cutting plots), and the differences were significant for the first three ratoon crops. A similar trend was.

9 Apr 2013 . ratooning ability. The papers presented focused on the advantages of the rice ratoon crop—its lower production cost, greater productivity, and reduced irrigation water requirements. Disadvantages, too, came under scrutiny—generally low yields, lack of varieties with good ratooning ability, uneven maturity.

29 Aug 2017 . The ratoon rice crop could be a near-total loss in Texas and Louisiana after the wrath of Hurricane Harvey subsides.

Historic, Archive Document Do not assume content reflects current scientific knowledge, policies, or practices ARS 34-12 The Ratoon Stunting Disease of Sugarcane and its control in Florida March 1960 Agricultural Research Service U.S. DEPARTMENT OF AGRICULTURE CONTENTS Page Symptoms 1 Transmission 2.

Ratoon has 5 ratings and 0 reviews. Set in the British Guiana, the plantation heiress Joan Dart, fall in love with the black rebel Jackey Reed. As savage.

Definition of ratoon – Our online dictionary has ratoon information from Oxford Dictionary of Rhymes dictionary. Encyclopedia.com: English, psychology and medical dictionaries.

Captain Jack's Airboat Tours, Everglades City Picture: Ratoon - Check out TripAdvisor members' 7380 candid photos and videos of Captain Jack's Airboat Tours.

